```
[Fig. 7]
```

- A Fall (crowning)
- B Distance from center D

[Fig. 11]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape

[Fig. 14]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape

[Fig. 16]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape


[Fig. 18]

- A Generatrix
- B Crowning


- C Position from center
- D Ideal logarithmic shape

Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 1 of 10

【書類名】図面 -【図1】



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 2 of 10




) 5a


5b

5c


Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING

BEARING
Filing Date: April 8, 2004
Darryly Mexic 202-293-7060
3 of 10





[图5]



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 4 of 10





Fig. 7

中心Dからの距離

Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 5 of 10


【図8】


Fig. 8



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 6 of 10

Fig. 9 4a





Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004
Darryly Mexic 202-293-7060 8 of 10 2(3) 15 (mm)

Fig. 12 Rr6 _{図13}-Fig. 13 (µm) { 20 10 0 10 -【図-1-4-} 母線形状 R600 .R3400 -0.010R9000 0.000

理想対数形状 ~ D

0.0

d

中心からの位置

5.0

10.0

15,0

-5.0

-10.0

0.010


0.020


0.030L__ -15.0


Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 9 of 10

【图15】

Fig. 15







Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 10 of 10

